#### **HOW TO PREPARE:**

Shake bottle well. Measure out required amount of Searles White oil and stir in water.

#### CAUTION:

Certain plants are sensitive to oil sprays. Test on a small sample first if in doubt. DO NOT mix with or apply within one month of Carbaryl, lime sulphur or other sulphur sprays. DO NOT use on Glen Retreat mandarins. DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds.

### STORAGE AND DISPOSAL: Store in the closed, original

container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

#### FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone 131 126). If swallowed, do NOT induce vomiting. Give a glass of water.

#### DISCLAIMER:

This product is designed to be used only for the purposes indicated on the label. Failure to use the product strictly as directed may be dangerous and cause injury, may be illegal, and may also render the product inteffective. The buyer or user is responsible for any misuses or negligence in the handling, storage, use of or disposal of this material. If a consequential loss or otherwise, in connection with the supply and use of the product of their from those responsibilities mandatorily imposed by statutes applicable to the safety and supply of these goods.

Batch No.:

DOM.

J.C. & A.T. Searle Pty. Ltd. 4914 D'Aguilar Highway, KILCOY. QLD. 4515 ABN 14 002 898 893 Ph: (07) 5497 2022 www.searles.com.au

APVMA Approval No. 61781/500ML/0507

# **CAUTION**

**KEEP OUT OF REACH OF CHILDREN** 



# White Oil

## INSECT CONTROL SPRAY



#### ACTIVE CONSTITUENT: 820g/L PETROLEUM OIL

CONTROLS CITRUS LEAF MINER, APHIDS, MITES, MEALY BUGS, SCALE AND OTHER INSECTS ON CITRUS, ROSES AND ORNAMENTALS

Contents: 500mL

HOW TO USE: DO NOT sproy if temperatures exceed 30°C, or when soil is dry and plants are suffering from moisture stress.  Ensure thorough coverage of both upper and lower leaf surfaces.	HOW TO APPLY	Apply in winter after pruning & before bud burst or at other times when pests occur.	2.5-10ml per litre of water At intervals of 5-14 days when young flush growth is pre	Red, white wax & other scales   20mL per litre of water   Spray when pests appear. Repeat after 4 weeks. Avoid	spraying curvs in late autumn or winter. Note: Dead scale may remain on the plant for a few wee	after spraying.	NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISE DO NOT PICK EDIBLE CROPS FOR 1 DAY AFTER SPRAYING.
	MIXING RATE	20mL per litre of water	2.5-10mL per litre of water	20mL per litre of water	20mL per litre of water	10mL per litre of water	R IN ANY MANNER OF I DAY AFTER SI
	PEST CONTROLLED	Scale, aphids, mites, mealy bugs	Citrus leaf miner	Red, white wax & other scales	Scale insects, mealy bugs, 20mL per litre of water spider mites		NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO NOT PICK EDIBLE CROPS FOR 1 DAY AFTER SPRAYING.
	PLANT	Deciduous fruit trees Scale, aphids, mites, and roses	Citrus Trees		Indoor plants, ornamental shrubs	Daphne	NOT TO BE USED DO NOT D